#### SAFETY DATA SHEET

ANTISTATIC SPRAY

Issued: 07/07/2005

Revision No: 1

Page 1

1. Наименование на веществото / препарата и на фирмата / предприятието

**Product name:** ANTISTATIC SPRAY

Product code: AD012 Synonyms: EC355

**Company name:** E C S (Nottingham) Ltd

Cross Road

**Annesley Cutting** 

Annesley

Nottinghamshire NG15 0AL

Tel: 01623 720444 Fax: 01623 720445

2. Състав на препарата / информация за компонентите

Hazardous ingredients: KEROSINE - UNSPECIFIED - DISTILLATES (PETROLEUM), HYDROTREATED LIGHT

10-30%

EINECS: 265-149-8 CAS: 64742-47-8

[Xn] R65; [N] R51/53

Contains: Antistatic compounds Hydrocarbon Propellant

3. Описание на опасностите

Main hazards: Highly flammable. Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment. Harmful: may cause lung damage if swallowed.

4. Мерки за оказване на първа помощ (Симптоми)

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Nausea and stomach pain may occur. There may be vomiting.

**Inhalation:** Absorption through the lungs can occur causing symptoms similar to those of ingestion.

4. Мерки за оказване на първа помощ (Действия)

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litter of water

to drink immediately. Transfer to hospital as soon as possible.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

Page 2

ANTISTATIC SPRAY

Issued: 07/07/2005 Revision No: 1

## 5. Мерки при гасене на пожар

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to

cool containers.

**Exposure hazards:** In combustion emits toxic fumes.

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with

skin and eyes.

### 6. Мерки при аварийно изпускане

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Mark out the contaminated area

with signs and prevent access to unauthorized personnel. Turn leaking containers leak-side

up to prevent the escape of liquid.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labeled salvage container for disposal

by an appropriate method.

### 7. Работа с веществото / препарата и съхранение

**Handling requirements:** Avoid the formation or spread of mists in the air. Avoid direct contact with the substance.

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

## 8. Контрол при експозиция и лични предпазни средства

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

### 9. Физични и химични свойства

State: Liquid Colorless

**Odour:** Barely perceptible odour

**Evaporation rate:** Fast

Oxidising: Non-oxidising (by EC criteria)

**Solubility in water:** Not miscible

Also soluble in: Most organic solvents.

Boiling point/range°C: N/A Flash point°C: 2

#### 10. Стабилност и реактивоспособнос

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

#### **SAFETY DATA SHEET**

ANTISTATIC SPRAY

Issued: 07/07/2005

Revision No: 1

Page 3

Materials to avoid: Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

### 11. Токсикологическа информация

**Routes of exposure:** Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

# 12. Информация за околната среда

**Mobility:** Readily absorbed into soil.

Persistence and degradability: Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

Other adverse effects: Negligible ecotoxicity.

### 13. Третиране на отпадъците

**NB:** The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

## 14. Информация за транспортиране

ADR / RID

IMDG/IMO

IATA / ICAO

### 15. Информация, съгласно действащата нормативна уредба

**Hazard symbols:** Highly flammable.

Harmful.

Dangerous for the environment.







**Risk phrases:** R11: Highly flammable.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R65: Harmful: may cause lung damage if swallowed.

**Safety phrases:** S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

S16: Keep away from sources of ignition - No smoking.

S24/25: Avoid contact with skin and eyes.

**Note:** The regulatory information given above only indicates the principal regulations specifically

applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all

### **SAFETY DATA SHEET**

#### ANTISTATIC SPRAY

Issued: 07/07/2005

Revision No: 1

Page 4

applicable national, international and local regulations or provisions.

# 16. Друга информация

**Risk phrases used in s.2:** R65: Harmful: may cause lung damage if swallowed.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and

shall be used only as a guide. This company shall not be held liable for any damage resulting

from handling or from contact with the above product.

## САМО ЗА ПРОМИШЛЕНА УПОТРЕБА